TOWNSHIP OF HORTON NEW HOUSE APPLICATION

2253 Johnston Road - Renfrew, Ontario K7V 3Z8 Phone: 613-432-6271 Fax: 613-432-7298

cbo@hortontownship.ca

BUILDING PERMIT APPLICATIONS

A Building Permit Application and attached forms must be completed prior to obtaining a building permit. Building Permit Application packages are available at the Municipal Office for pickup or online at www.hortontownship.ca

Questions regarding building permits should be directed to the Chief Building Official.

PROCEDURE FOR OBTAINING BUILDING PERMIT:

- 1. Submit a complete application to the Township (all pages within the application package must be completed before submission).
- 2. Notification will be given from the Chief Building Official that the application has been submitted and the applicant will then be given the amount of the Building Permit Fee after review of application.
- 3. The Chief Building Official will issue the permit to the applicant once payment has been received by the Township.
- 4. Once permit is issued, construction may commence. Notice must be given to the Chief Building Official for required inspections.

REQUIREMENTS FOR SECURING A BUILDING PERMIT

The following steps are required to be completed prior the issuance of a building permit.

1. PROOF OF PROPERTY OWNERSHIP

This must be shown to the Chief Building Official to establish your ownership of the property.

2. ENTRANCE PERMIT

Permission must be obtained by the road authorities for you to make an entrance from the road into your property. For residences, even if there is an existing entrance in place, a permit is still required.

TOWNSHIP ROAD: Apply at the Township Office

COUNTY ROAD: Contact the County of Renfrew

PROVINCIAL HIGHWAY: Contact Ministry of Transportation

3. PROPERTY IDENTIFICATION SIGNS (CIVIC SIGN/9-1-1 SIGN):

A Civic Sign is required in order for a building permit to be issued. Once a entrance has been established and approved, a civic number can be applied for through the Municipal Office.

4. SEPTIC SYSTEM APPROVAL

Sewage Systems must be applied for and approved before residential building permits are obtained.

5. BUILDING PLANS/DRAWINGS

Contact Dwayne Coulas, Chief Building Official for details required – 613- 639-2708 or cbo@hortontownship.ca

6. ZONING BY-LAW CONFIRMATION

The proposed construction must conform to the Township's Zoning By-law where applicable.

7. LAND SURVEY and/or ELEVATION SURVEY

Certain circumstances, i.e. small lot, constructing close to setback limits, etc., may require a surveyor to establish the lot lines. All property owners who front onto a body of water must provide an elevation survey, prepared by a qualified surveyor or engineer.

8. SITE PLAN

A site plan, including measurements, property layout, proposed buildings, lot lines, etc., must be submitted with the application.



Application for a Permit to Construct or Demolish This form is authorized under subsection 8(1.1) of the Building Code Act.

~~~											
For use by Principal Authority											
Application number:				Permit number (if different):							
Date received:	Roll number:										
A 12 42 1 24 14	Township of	Horton									
Application submitted to:	Application submitted to:  Township of Horton  (Name of municipality, upper-tier municipality, board of health or conservation authority)										
A. Project information											
Building number, street nan						Unit number		Lot/con.			
Municipality Postal			Plan number/other description								
Project value est. \$				Area of work	(m ² )						
Froject value est. φ			Area of work (m ² )								
B. Purpose of applica	tion										
☐ New construction	Addition to existing by		☐ Altera	ation/repair		Demolition		Conditional Permit			
Proposed use of building		<u> </u>	ent use of	building							
Description of proposed wo	rk										
C. Applicant	Applicant is:	Owner or		☐ Authorize	d agent o	f owner					
C. Applicant       Applicant is:       □ Owner or       □ Authorized agent of owner         Last name       First name       Corporation or partnership											
						T					
Street address						Unit number		Lot/con.			
Municipality		Postal code		Province		E-mail					
Warnorpanty		1 ootal oodo		1 10111100		Linaii					
Telephone number		Fax				Cell number					
( )		( )				( )					
D. Owner (if different to	from applicant)			1							
Last name	First name		Corporation or partnership								
Street address						Unit number		Lot/con.			
Gueer address						Offic Hulliber		LUVUUII.			
Municipality		Postal code		Province		E-mail					
Telephone number ( )		Fax (  )				Cell number					
\	!	/				/ · /					

E. Builder (optional)											
Last name   Corporation or partnership (if applicable)											
			1 ( -1		•						
Street address Unit r					L	ot/con.					
Municipality	E-mail										
. ,											
Telephone number	Fax		Cell nu	ımber							
( )	( )		(	)							
F. Tarion Warranty Corporation (Ontario New Home Warranty Program)											
i. Is proposed construction for a new hom		<u>'                                     </u>			\/		NI-				
Plan Act? If no, go to section G.	e as defined in the Onta	no new nome wananies	,		Yes		No				
ii. Is registration required under the Ontari	io New Home Warranties	Plan Act?			Yes		No				
iii. If yes to (ii) provide registration number	(e)·										
G. Required Schedules	(3).										
i) Attach Schedule 1 for each individual who rev	iows and takes responsi	hility for docion activitios									
ii) Attach Schedule 2 where application is to cons	struct on-site, install or re	pair a sewage system.									
H. Completeness and compliance with a	applicable law										
i) This application meets all the requirements of	clauses 1.3.1.3 (5) (a) to	o (d) of Division C of the			Yes		No				
Building Code (the application is made in the			t, all	_	163	J	INO				
applicable fields have been completed on the application and required schedules, and all required											
schedules are submitted).	aguired under the englis	aabla bu law raaalutian ar									
Payment has been made of all fees that are r			Yes		No						
regulation made under clause 7(1)(c) of the <i>Building Code Act, I992</i> , to be paid when the application											
ii) This application is accompanied by the plans	-law,		Yes		No						
resolution or regulation made under clause 7(1)(b) of the Building Code Act, 1992.											
							No				
law, resolution or regulation made under clause 7(1)(b) of the <i>Building Code Act, 1992</i> which enable the chief building official to determine whether the proposed building, construction or demolition will											
contravene any applicable law.											
							No				
I. Declaration of applicant											
I(print name)					decla	e that:					
(print name)											
The information contained in this applic	ation attached schedule	s attached plans and spe	cificatio	ns and	other:	attached					
<ol> <li>The information contained in this application, attached schedules, attached plans and specifications, and other attached documentation is true to the best of my knowledge.</li> </ol>											
2. If the owner is a corporation or partnership, I have the authority to bind the corporation or partnership.											
Date	Signature of a	annlicant									
Date	Signature of a	арриони									

Personal information contained in this form and schedules is collected under the authority of subsection 8(1.1) of the *Building Code Act, 1992*, and will be used in the administration and enforcement of the *Building Code Act, 1992*. Questions about the collection of personal information may be addressed to: a) the Chief Building Official of the municipality or upper-tier municipality to which this application is being made, or, b) the inspector having the powers and duties of a chief building official in relation to sewage systems or plumbing for an upper-tier municipality, board of health or conservation authority to whom this application is made, or, c) Director, Building and Development Branch, Ministry of Municipal Affairs and Housing 777 Bay St., 2nd Floor. Toronto, M5G 2E5 (416) 585-6666.

## **Schedule 1: Designer Information**

Use one form for each individual who reviews and takes responsibility for design activities with respect to the project. A. Project Information Building number, street name Lot/con. Unit no. Municipality Postal code Plan number/ other description B. Individual who reviews and takes responsibility for design activities Name Firm Street address Unit no. Lot/con. Municipality Postal code Province E-mail Telephone number Fax number Cell number ( ) C. Design activities undertaken by individual identified in Section B. [Building Code Table 3.5.2.1. of **Division C1** ■ House ■ HVAC – House ■ Building Structural ■ Small Buildings ■ Building Services ☐ Plumbing – House Large Buildings ■ Detection, Lighting and Power ☐ Plumbing – All Buildings ☐ Fire Protection □ Complex Buildings ☐ On-site Sewage Systems Description of designer's work D. Declaration of Designer _____ declare that (choose one as appropriate): (print name) ☐ I review and take responsibility for the design work on behalf of a firm registered under subsection 3.2.4.of Division C, of the Building Code. I am qualified, and the firm is registered, in the appropriate classes/categories. Individual BCIN: Firm BCIN: ☐ I review and take responsibility for the design and am qualified in the appropriate category as an "other designer" under subsection 3.2.5.of Division C, of the Building Code. Individual BCIN: _____ Basis for exemption from registration: ___ ☐ The design work is exempt from the registration and qualification requirements of the Building Code. Basis for exemption from registration and qualification: I certify that: 1. The information contained in this schedule is true to the best of my knowledge.

#### NOTE:

Date

- 1. For the purposes of this form, "individual" means the "person" referred to in Clause 3.2.4.7(1) d).of Division C, Article 3.2.5.1. of Division C, and all other persons who are exempt from qualification under Subsections 3.2.4. and 3.2.5. of Division C.
- 2. Schedule 1 is not required to be completed by a holder of a license, temporary license, or a certificate of practice, issued by the Ontario Association of Architects. Schedule 1 is also not required to be completed by a holder of a license to practise, a limited license to practise, or a certificate of authorization, issued by the Association of Professional Engineers of Ontario.

Signature of Designer

2. I have submitted this application with the knowledge and consent of the firm.



# TOWNSHIP OF HORTON SITE PLAN

	IT: :
	Road Name:
	ACY OF THE INFORMATION APPEARING ON THE SITE PLAN IS THE RESPONSIBILITY ANT AND IS HEREBY MADE PART OF THIS APPLICATION.
	ERTIFY THAT THE INFORMATION APPEARING ON THE SITE PLAN IS TRUE AND ACCURA T OF MY ABILITY.
te:	Signature:

# Energy Efficiency Design Summary: Prescriptive Method (Building Code Part 9, Residential)

This form is used by a designer to demonstrate that the energy efficiency design of a house complies with the building code using the prescriptive method described in Subsection 3.1.1. of SB-12. This form is applicable where the ratio of gross area of windows/sidelights/glazing in doors and sliding glass doors to the gross area of peripheral walls is not more than 22%.

			For use by P							
Application No: Model/Certification Number										
A. Project Information										
Building number, street name						Unit number	Lot	/Con		
Municipality Po			code	Reg. Pl	an number / other descrip	tion	I			
B. Prescriptive Compliance [indicate the building code compliance package being employed in this house design]										
SB-12 Prescriptive (input design package): Package: Table:										
C. Project Design Cond	ditions									
Climatic Zone (SB-1):	He		quipment Effic	ciency	Space Heating I					
□ Zone 1 (< 5000 degree days)		□ ≥ 92% AFUE			☐ Gas ☐ Propane ☐ Solid Fuel					
□ Zone 2 (≥ 5000 degree days)		□ ≥ 84% < 92% AFUE				□ Electric	□ <b>E</b> :	arth Energy		
Ratio of Windows, Skylights 8	& Glass (W,	S & G) to	o Wall Area		Other Building		•	105.5		
Aron of wallo	<b>4</b> 2				_			□ ICF Basement		
Area of walls =m ² or	nt	W, S & G % =			☐ Slab-on-ground ☐ Walkout Basement ☐ Air Conditioning ☐ Combo Unit					
		ze Window	averaging: □\	⁄es ⊓No	□ Air Conditioning □ Combo Unit □ Air Sourced Heat Pump (ASHP)					
Area of W, S & G =m ² or	ft²	LG WIIIUUW	averaying.	CO LINU	☐ Ground Sourced Heat Pump (GSHP)					
D. Building Specification	l l	values an	d ratings of the	enerav eff	I					
Energy Efficiency Substit					init, timpendino	ı - FJ				
□ ICF (3.1.1.2.(5) & (6) / 3.1.1.	3.(5) & (6))									
☐ Combined space heating and		ater hea	ting systems (	3.1127	7) / 3.1 1 3 (7))					
· · · · · · · · · · · · · · · · · · ·	2 4011100110 11	ator rica	9 0,0101113 (	J. 1. 1.2.(	.,,,					
□ Airtightness substitution(s)	Table 3.1.1	1 B Do	auired:		Dormit	ted Substitution:				
Airtightness test required						_				
(Refer to Design Guide Attached)	Table 3.1.1	.4.C Re	quired:		Permit	ted Substitution:				
	1		quired:	Permitted Substitution:						
Building Component		Minimum RSI / R values or Maximum U-Value ⁽¹⁾			Building Comp	onent	Efficiency Ratings			
Thermal Insulation		ominal	Effective	Windo	ws & Doors Prov	vide U-Value ⁽¹⁾ or ER	R rating			
Ceiling with Attic Space				Windows/Sliding Glass Doors						
Ceiling without Attic Space				Skylights/Glazed Roofs						
Exposed Floor				Mechanicals						
Walls Above Grade				Heating Equip.(AFUE)						
Basement Walls				HRV Efficiency (SRE% at 0°C)		· 0° C)				
Slab (all >600mm below grade)				DHW Heater (EF)		. • •,				
Slab (edge only ≤600mm below grade)				DWHR (CSA B55.1 (min. 42% efficiency))		2% efficiencv))		# Showers		
Slab (all ≤600mm below grade, or heated)				Combined Heating System		• • • • • • • • • • • • • • • • • • • •				
(1) U value to be provided in either W/(m²•K) or Btu/(h•ft²•F) but not both.										
E. Designer(s) [name(s) &				iding infor	mation herein to sub	stantiate that design	n meets th	e building code]		
Qualified Designer Declaration								5 - 1		
Name				BCIN	, , , , , , , , , , , , , , , , , , ,	Signature				
				20		9				

## Guide to the Prescriptive Energy Efficiency Design Summary Form

This form must accurately reflect the information contained on the drawings and specifications being submitted. Refer to Supplementary Standard SB-12 for details about building code compliance requirements. Further information about energy efficiency requirements for new buildings is available from the provincial building code website or the municipal building department.

The building code permits a house designer to use one of four energy efficiency compliance options:

- 1. Comply with the SB-12 Prescriptive design tables (this form is for this option (Option 1)),
- 2. Use the SB-12 Performance compliance method, and model the design against the prescriptive standards,
- 3. Design to Energy Star, or
- 4. Design to R2000 standards.

#### COMPLETING THE FORM

## **B.** Compliance Options

Indicate the compliance option being used.

• <u>SB-12 Prescriptive</u> requires that the building conforms to a package of thermal insulation, window and mechanical system efficiency requirements set out in Subsection 3.1.1. of SB-12. Energy efficiency design modeling and testing of the building is not required under this option. Certain substitutions are permitted. In which case, the applicable airtightness targets in Table 3.1.1.4.A must be met.

## C. Project Design Conditions

Climatic Zone: The number of degree days for Ontario cities is contained in Supplementary Standard SB-1 Windows, Skylights and Glass Doors: If the ratio of the total gross area of windows, sidelights, skylights, glazing in doors and sliding glass doors to the total gross area of walls is more than 17%, higher efficiency glazing is required. If the ratio is more than 22%, the SB-12 Prescriptive option may not be used. The total area is the sum of all the structural rough openings. Some exceptions apply. Refer to 3.1.1.1. of SB-12 for further details. Fuel Source and Heating Equipment Efficiency: The fuel source and efficiency of the proposed heating equipment must be specified in order to determine which SB-12 Prescriptive compliance package table applies. Other Building Conditions: These construction conditions affect SB-12 Prescriptive compliance requirements.

#### D. Building Specifications

Thermal Insulation: Indicate the RSI or R-value being proposed where they apply to the house design. Under the <u>SB-12 Prescriptive</u> option, alternative ICF wall insulation is permitted in certain conditions where other design elements meet higher standards. Refer to SB-12 for further details. Where effective insulation values are being used, the Authority Having Jurisdiction may require supporting documentation.

#### BUILDING CODE REQUIREMENTS FOR AIRTIGHTNESS IN NEW HOUSES

All houses must comply with increased air barrier requirements in the building code. Notice of air barrier completion must be provided and an inspection conducted prior to it being covered.

The air leakage rates in Table 3.1.1.4.A are not requirements. This provision is a voluntary provision for when credits for airtightness are claimed. Credit for air tightness allows the designer to substitute the requirements of compliance packages as set out in Table 3.1.1.4.B or 3.1.1.4.C. Neither the air leakage test nor compliance with airtightness targets given in Table 3.1.1.4.A are required, unless credit for airtightness is claimed. Table 3.1.1.4.A provides airtightness targets in three different metrics; ACH, NLA, NLR. Any one of them can be used. OBC Reference Default Air Leakage Rates (Table 3.1.1.4.A)

Building Type	Airtightness Targets									
	ACH @ 50 Pa	NLA @	2 10 Pa	NLR @ 50 Pa						
Detached dwelling	2.5	1.26 cm ² /m ²	1.81 in ² /100ft ²	0.93 L/s/m ²	0.18 cfm50/ft ²					
Attached dwelling	3.0	2.12 cm ² /m ²	3.06 in ² /100ft ²	1.32 L/s/m ²	0.26 cfm50/ft ²					

The building code requires that a blower door test be conducted to verify the air tightness of the house during construction if the <u>SB-12 Prescriptive</u> option with airtightness credit being applied. Results of the airtightness test may need to be submitted to the Authority Having Jurisdiction. Airtightness of less than 2.5 ACH @ 50 Pa (or NLA or NLR equivalent) in the case of detached houses, or 3.0 ACH @ 50 Pa (or NLA or NLR equivalent) in the case of attached houses is necessary to meet the required energy efficiency standard.

#### E. House Designer

The building code requires designers providing information about whether a building complies with the building code to have a BCIN. Exemptions apply to architects, engineers and owners designing their own house.